



Arlon Essentials

Product Guide





Shop for Arlon materials online today!

A unique online experience with our
Customer Portal and Webshop

visit www.shop.spandex.com




24 / 7

Spandex is one of the world's leading trade suppliers of materials, sign systems, displays and equipment to the sign making and graphics industry.

With 40 years of experience and offices in 20 countries worldwide, Spandex UK supplies products from leading brands including 3M, Avery Dennison, Arlon, Orafol and ImagePerfect.

Technical specifications are subject to change without prior notice. For full Terms and Conditions please visit our website.



10 Customer Service Representatives available to help you choose the right materials for the job

Over €3.8m stock holding, consisting of 32,000 products available for next day delivery 99.6% of orders delivered next day (your stock on our shelves!)

Application specific training courses

Bespoke pricing

No credit card surcharges

Ordering Arlon materials from Spandex couldn't be easier. Our Customer Service Team is available from 8.30am to 18.00pm (Monday till Thursday) and Friday from 8.30am to 16.30pm, or order online 24/7.

If you don't have a Spandex account, you can still purchase from us.

There are 3 ways to buy from us....

ONLINE	www.spandex.be
PHONE	02 725 73 70
EMAIL	info@spandex.be

SLX[®]



ARLON

A PERFORMANCE EVOLUTION



VIBRANT AND RELIABLE PRINT QUALITY
IMPROVED CUTTING AND WEEDING
EFFORTLESS LINER RELEASE
HIGH-PERFORMANCE LINER
STATIC-FREE ADHESIVE CONSTRUCTION
ULTRA-REPOSITIONABLE
FAST ADHESIVE BOND

SUPERIOR DIMENSIONAL STABILITY
NO ADHESIVE TO ADHESIVE DELAMINATION
REMARKABLE RECOVERY PROPERTIES
OUTSTANDING HEAT RESISTANCE
STAYS IN DEEP CHANNELS
EXCELLENT BOND TO STAINLESS STEEL
FIRST IN CLASS CLEAN REMOVING











arlon.com

Contents

Arlon Premium Colour Change	NEW	6
Arlon SLX® Plus	NEW	8
Arlon SLX™ Cast Wrap		9
Arlon DPF 6100XLP		10
Arlon DPF 6000XRP		10
Arlon IllumiNITE WRAP™		11
Arlon DPF 8000™ ULTRA TACK		12
Arlon DPF 8200X HIGH TACK	NEW	13

Key

	Suitable for digital print
	Closer look/Details
	Durability
	Roll Width
	Roll Length
	Thickness (Micron)
	Temperature range
	Application temperature



Arlon Premium Colour Change Cast Wrap Film











Premium Colour Change is your ideal choice for automotive restyling and fleet applications. The conformable cast film features FLITE Technology® for fast, easy installation, excellent repositioning and clean removability. The engineered liner with invisible air channels gives bubble-free application resulting in an ultra-smooth finish for full and partial vehicle wraps. The specially adapted protective film on gloss colours ensures the highest gloss level. Guaranteed to stay down in deep channels, curves and recesses.
















Q Clean Removing,
Repositionable adhesive

🕒 10 Years

📏 1524mm

📏 25m





Arlon SLX® Plus

Cast Wrap Film




Arlon SLX®+ is a premium film designed for full and partial vehicle wraps and fleet applications. It has remarkable recovery properties and outstanding resistance to heat. It features FLITE Technology® with an optimum, initial tack to ensure high repositionability with quick anchoring that builds to a strong bond, whilst also removing cleanly at the end of the wrap life. The optimized performance of SLX®+ improves all-weather application performance and cutting and weeding, whilst maintaining high conformability in complex areas such as rivets, curves and deep channels. The tinted, permanent adhesive provides excellent opacity and the low-profile, air-egress liner provides effortless release, aids in easy installation and delivers a smooth finish. It delivers vibrant and reliable print quality on solvent, eco-solvent, UV and latex print systems.

Q FLITE technology, grey permanent pressure-sensitive adhesive

Ink Suitability:
Eco-Solvent, Solvent,
UV & Latex

Laminate:
Series 3210, Series 3270,
Series 3220, Series 3310,
Series 3200

🕒	10 Years	
📏	1372mm	1524mm
📏	45.72m	45.72m
📏	50 Micron	
🌡️	-40°C to 80°C	
🌡️	10°C to 38°C	



Arlon SLX™ Cast Wrap Wrap Film



Arlon SLX™ Cast Wrap Film is a premium gloss white repositionable cast film with FLITE Technology®. The material is designed for full and partial vehicle and fleet applications and allows for a fast install, conforming around rivets, complex curves and deep channels. FLITE Technology® is a lite contact system allowing graphics to float over a substrate until firm pressure is applied. SLX Cast Wrap has a grey, permanent pressure-sensitive adhesive that provides excellent opacity. The low profile, air egress liner aids with easy installation, resulting in a smooth finish.

Q Repositionable low profile FLITE Technology adhesive

Ink Suitability:
Eco-Solvent, Solvent,
UV & Latex

Laminate:
3270 Gloss
3220 Matt

🕒	10 Years	
📏	1372mm	1524mm
📏	15m/45.72m	45.72m
📏	50 Micron	
🌡️	-40°C to 80°C	
🌡️	15°C to 38°C	



Benefits:

- › Fast Wraps with One Installer
- › Superior Repositionability
- › Effortless Liner Release
- › Vibrant & Reliable Print Quality
- › Stays Down in Deep Channels
- › Clean Removability

Arlon DPF 6100XLP

Wrap Film



Arlon DPF 6100XLP Cast Wrap Film is a gloss white cast film with bubble releasing, clean removing, repositionable permanent pressure-sensitive adhesive. The LX (Low Profile) X-Scape Technology allows a speedy installation and ensures a smooth paint-like finish. The tinted adhesive system is designed to provide excellent opacity and the film provides superior conformability around rivets, curves, contours and channels.

Q Repositionable, low profile X-Scape Technology adhesive

Ink Suitability:
Eco-Solvent, Solvent, UV & Latex

Laminate:
Series 3210 Gloss
Series 3220 Gloss
Series 3220 Matt

🕒	10 Years	
📏	1372mm	1524mm
📏	45.72m	45.72m
📏	50 Micron	
🌡️	-40°C to 80°C	
📏	Flat surfaces: 4.4°C to 38°C	
	Corrugated surface with rivets channels: 15°C to 38°C	



Arlon DPF 6000XRP

Wrap Film



Arlon DPF 6000XRP is a gloss white cast film with bubble releasing, tinted, repositionable, permanent pressure-sensitive adhesive. The X-Scape system allows installers to achieve speedy installation while maintaining high enough tack to ensure long term bond. Designed for large format graphics, DPF 6000XRP is made of premium quality cast face stock with a lay-flat liner. The adhesive system is designed to provide excellent opacity, as well as easy installation. This film is warranted for use on rivets, corrugations and channel structures.

Q Grey, X-Scape Technology, repositionable, permanent adhesive

Ink Suitability:
Eco-Solvent, Solvent, UV & Latex

Laminate:
3210 Gloss
3220 Matt

🕒	10 Years	
📏	1372mm	1524mm
📏	45.72m	45.72m
📏	50 Micron	
🌡️	-40°C to 80°C	
📏	Flat surfaces: 4.4°C to 38°C	
	Corrugated surface with rivets channels: 10°C to 38°C	



Arlon IllumiNITE WRAP™

Reflective Wrap Film



Arlon IllumiNITE Wrap™ is a printable reflective vinyl featuring FLITE Technology®. With the lite contact system, the film allows for a fast, repositionable install whilst maintaining the reflective quality of the film. By using Arlon's recommended installation techniques, the film easily conforms to irregular surfaces and glides over smooth surfaces, enabling graphics to be brightly displayed day and night.

Q Light grey, repositionable, permanent adhesive

Ink Suitability:

Eco-Solvent, Solvent, UV & Latex

Laminate:

Series 3210 Gloss

🕒	7 Years
📏	1220mm
📏	9.144m 22.86m 45.72m
📏	125 Micron
🌡️	-40°C to 71°C
🌡️	10°C to 38°C



Benefits:

- › Superior Repositionability
- › Optimal Reflectivity
- › Fastest Installation
- › Effortless Liner Release
- › Brilliant & Luminous Graphics
- › Efficient Removability

Arlon DPF 8000™ ULTRA TACK Wall Film



DPF 8000 is a high-tensile, PVC film with an aggressive, permanent pressure-sensitive adhesive with a polycoated lay-flat liner. Designed for indoor and outdoor graphics. The special adhesive system is designed to stick to "hard-to-stick" and low-energy surfaces such as brick, concrete and stucco walls, and ABS plastic.

Q Aggressive, high-tack, permanent adhesive

Ink Suitability:

Eco-Solvent, Solvent, UV & Latex

Laminate:

SERIES 3210 - GLOSS
SERIES 3220 - MATT
Wall Graphics, Rough Surfaces & Large Graphics

SERIES 3420
Decals & General Signage

SERIES 3590
Motorcycles & Motorbikes

🕒	7 Years (white) 5 Years (clear)	
📏	1372mm	1524mm
📏	45.72m	45.72m
📏	90 Micron (white) 75 Micron (clear)	
🌡️	-54°C to 107°C (white) -29°C to 65°C (clear)	
🌡️	-1°C to 27°C (white) 16°C to 32°C (clear)	



Benefits:

- › The Hard-To-Stick Solution
- › Multi-Purpose Ultra Tack Adhesive
- › Printing With a Wide Variety of Printing Systems
- › Slightly Textured and/or Low-Energy Surfaces.
- › Application in Cold Temperature Environments



Arlon DPF 8200X HIGH TACK Wall Film

Arlon DPF 8200X High Tack is a 90 micron satin white, high-tensile, PVC film with aggressive, bubble releasing permanent pressure-sensitive adhesive.


The film is made of a 100% engineering-grade facestock with a polycoated, low profile air-egress, lay-flat liner. X-Scape Technology® will allow trapped air to escape easily leading to a time-saving application. The unique low shrink adhesive system enhances dimensional stability, improving printer handling and converting time.

Designed to adhere to slightly textured outdoor wall substrates such as brick, tile, and concrete, the film also has exceptional performance on low surface energy substrates such as polypropylene, polyethylene, and powder coated paints.

Q Clear, X-Scape Technology, repositionable, permanent adhesive

Ink Suitability:
Eco-Solvent, Solvent, UV & Latex

🕒	7 Years	
📏	1372mm	1524mm
📏	45.72m	45.72m
📏	90 Micron	
🌡️	-54°C to 107°C	



Spandex Worldwide

Australia

tel. +61 2 9472 8000
info@spandex.com.au
www.spandex.com.au

Austria

tel. +43 1 7693950
fax +43 1 7693966
spandexfolien@spandex.com
www.spandex.at

Belgium

tel. +32 2 725 73 70
info@spandex.be
www.spandex.be

Czech Republic

Prague
tel. +420 2 86 006 455
objednavky.cz@spandex.com
Brno
tel. +420 545 422 355
objednavky.cz@spandex.com
www.spandex.cz

Estonia

Seri-Deco
tel. +372 545 021 15
info@seri-deco.ee
www.seri-deco.ee

Finland

Seri-Deco
tel. +358 10 841 8080
myynti@seri-deco.fi
www.seri-deco.fi

France

tel. +33 1 69 35 24 51
fax +33 1 69 35 24 99
commande@spandex.com
www.spandex.fr
Seri Service
tel. +33 4 78 45 00 64
fax. +33 4 78 45 08 73
contact@seriservice.fr
www.seriservice.fr

Germany

H. Brunner GmbH
tel. +49 7841 685 200
fax +49 7841 685 299
brunnerfolien@spandex.com
www.brunner-folien.de

Italy

tel. +39 0331 869 311
info@spandex.it
www.spandex.it

Lithuania

Seri-Deco
tel. +370 5215 9032
info@seri-deco.lt
www.seri-deco.lt

Norway

Skangraf Schneider (Larvik)
tel. +47 33 14 02 10
larvik@skangraf-schneider.no
Skangraf Schneider (Tranby)
tel. +47 32 22 62 00
tranby@skangraf-schneider.no
www.skangraf-schneider.no

Portugal

3ó-dpg (Lisbon)
tel. +351 219 737 960
fax. +351 219 731 274
info@3o-dpg.com
3ó-dpg (Porto)
tel. +351 225 098 752
fax. +351 225 098 753
info@3o-dpg.com
www.3o-dpg.com

Slovakia

tel. +421 2 3333 5555
objednavky.sk@spandex.com
www.spandex.sk

Spain

Barcelona
tel. +34 936 569 040
comercial@spandex.com
Madrid
tel. +34 918 706 468
comercial@spandex.com
www.spandex.es

Sweden

Spandex Schneider
tel. +46 430 738 00
info@spandex.se
www.spandex.se

Switzerland

tel. +41 44 818 86 86
fax. +41 44 818 86 87
info@spandex.ch
www.spandex.ch

The Netherlands

tel. +31 318 530 111
info@spandex.nl
www.spandex.nl

Turkey

OTS (Ankara)
tel. +90 312 397 35 25
fax +90 312 397 35 50
info@spandex.com.tr
OTS (Istanbul)
tel. +90 212 438 80 51
fax +90 212 438 80 53
info@spandex.com.tr
www.otsdijital.com

United Kingdom

tel. +44 1454 616 444
info@spandex.com
www.spandex.co.uk

United States

Regional Supply
(Salt Lake City)
tel. +1 801 262 6451
sales@regionalsupply.com
Regional Supply (Anchorage)
tel. +1 907 561 1885
sales@regionalsupply.com
www.regionalsupply.com

Spandex Headquarters

Aegertweg 4
8305 Dietlikon
Switzerland
www.spandex.com

/Spandex-Benelux-BV



Spandexcom



@SpandexNederland



/SpandexBenelux



Leading Brands
for Graphic Solutions